



SKH

EU-notified Body No. 0502

Visiting address:

'Het Cambium', Nieuwe Kanaal 9c, 6709 PA Wageningen, the Netherlands

Mailing address:

P.O. Box 159, 6700 AD Wageningen, the Netherlands

Tel. +31 (0) 317 45 34 25 E-mail: mail@skh.org

Fax +31 (0) 317 41 26 10 Website: <http://www.skh.org>

Certificate of constancy of performance, 0502 - CPR - 10058

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Fire resistant wooden components for use in suspended ceilings

Resistance to fire: B-s2,d0 according to EN 13501-1

**SHILUVIT Horizontal or vertical wooden blades and open cell
structures or lay-in panels, made from timber species as
mentioned in Annex 1**

For the intended use as Fire resistant suspended ceilings for internal use

produced by and in the manufacturing plant at:

Oranit Wood Profiles Industries Ltd.

49 Shenkar Street

P.O. Box 10081

26110 HAIFA BAY

ISRAEL

Tel: +972 4 841 13 10

Fax: +972 4 841 24 07

E-mail: oranitco@netvision.net.il

Website: <http://www.oranit-ltd.com>

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13964:2004

under system 1 for the performances set out in this certificate are applied and that

**the construction product fulfils all the prescribed
requirements for these performances.**

This certificate was first issued on **9 September 2008** and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performances of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by SKH.

On behalf of SKH:

drs. H.J.O. van Doorn


Date: **1 September 2014**

Director

Supersedes version: **28 October 2011**

Reproduction of the complete certificate is allowed
Chamber of commerce Arnhem 09190347

The certificate and all copies shall be returned
to SKH immediately on request





ANNEX 1*

EC Certificate of Factory Production Control, number 0502 -CPR-10058
dd. 1 September 2014

In this annex are mentioned the timber species in combination with the treatment and product type concerning this certificate

Vacuum Pressure Treatment with Magma Firestop SBP-1

Timber specie / Product	Scientific name	Euroclass
African Ayous	<i>Triplochiton scleroxylon</i>	B-s2, d0
American Red Oak	<i>Quercus rubra</i>	B-s2, d0
Ash	<i>Fraxinus excelsior</i>	B-s2, d0
Douglas Fir	<i>Pseudotsuga menziesii</i>	B-s2, d0
European Beech	<i>Fagus sylvatica</i>	B-s2, d0
Maple	<i>Acer platanoides, Acer Spec.div.</i>	B-s2, d0
Oregon Pine	<i>Pseudotsuga menziesii</i>	B-s2, d0
Plywood	<i>Spec. div.</i>	B-s2, d0
Scots Pine (European Pine)	<i>Pinus sylvestris</i>	B-s2, d0
Siberian Larch	<i>Larix siberica</i>	B-s2, d0
Sipo Mahonie	<i>Entandrophragma utile</i>	B-s1, d0
Spruce	<i>Picea abies</i>	B-s2, d0
Western Red Cedar	<i>Thuja plicata</i>	B-s2, d0
Weymouth (Yellow Pine)	<i>Pinus strobus</i>	B-s2, d0
Yellow Poplar	<i>Liriodendron tulipifera</i>	B-s2, d0

*This annex 1 is only valid in combination with EC Certificate of Factory Production Control, number 0502-CPR-10058, dd. 1 September 2014